




Übung 1



Übung 2

Static Routing Tables



Ping von PC 0 zu PC 2

```
PC0
Physical Config Desktop
Command Prompt
Reply from 172.16.0.2: bytes=32 time=47ms TTL=254
Reply from 172.16.0.2: bytes=32 time=63ms TTL=254
Reply from 172.16.0.2: bytes=32 time=62ms TTL=254
Reply from 172.16.0.2: bytes=32 time=63ms TTL=254

Ping statistics for 172.16.0.2:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 47ms, Maximum = 63ms, Average = 58ms

PC>ping 10.0.2.254

Pinging 10.0.2.254 with 32 bytes of data:

Reply from 10.0.2.254: bytes=32 time=63ms TTL=254
Reply from 10.0.2.254: bytes=32 time=47ms TTL=254
Reply from 10.0.2.254: bytes=32 time=63ms TTL=254
Reply from 10.0.2.254: bytes=32 time=63ms TTL=254

Ping statistics for 10.0.2.254:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 47ms, Maximum = 63ms, Average = 59ms

PC>
```

Ping von PC 3 zu PC 1